



Retrofit Rebate Program

Offset the cost of improving your facility

The Retrofit Rebate Program offers prescriptive and custom incentives to business customers for installing energy-efficient equipment in their existing facilities.



Prescriptive Rebates

Earn rebates for installing qualifying equipment from a pre-set menu in existing buildings. Common retrofit measures include:

- Lighting and controls
- Heating, ventilation and air conditioning (HVAC) equipment
- Refrigeration and food service equipment
- Variable speed drives (VSDs) on HVAC motors
- Window film



Custom Rebates

Earn rebates when reducing energy use with a system improvement that is not included in the prescriptive menu. Custom rebates are calculated using \$0.08 per estimated first year kilowatt hour (kWh) saved.



Authorized Contractors

PNM Authorized Contractors can provide cost estimates, install equipment, and assist you with the application process. View a list of Authorized Contractors by visiting PNMEnergyefficiency.com/findacontractor.



PNM provides rebates for energy efficiency improvements.

Let us show you how.

Visit PNMEnergyefficiency.com

Email energyefficiency@pnm.com

Call 505-938-9400



Earn rebates for installing energy-efficient equipment in your building.

| HVAC Equipment | | | |
|--|---|----------------|------------------|
| EQUIPMENT TYPE | SIZE CATEGORY | INCENTIVE/UNIT | EFFICIENCY BONUS |
| Unitary and Split Air Conditioning Systems | < 65,000 Btu/h (< 5.4 tons) | \$25 | \$15 |
| | ≥ 65,000 Btu/h and < 135,000 Btu/h (5.4-11.25 tons) | | |
| | ≥ 135,000 Btu/h and < 240,000 Btu/h (11.25-20 tons) | | |
| | ≥ 240,000 Btu/h and < 760,000 Btu/h (20-63 tons) | | |
| | ≥ 760,000 Btu/h (≥ 63 tons) | | |
| Air Source Heat Pumps | < 65,000 Btu/h (< 5.4 tons) | \$40 | \$15 |
| | ≥ 65,000 Btu/h and < 135,000 Btu/h (5.4-11.25 tons) | | |
| | ≥ 135,000 Btu/h and < 240,000 Btu/h (11.25-20 tons) | | |
| | ≥ 240,000 Btu/h and < 760,000 Btu/h (20-63 tons) | | |
| | ≥ 760,000 Btu/h (≥ 63 tons) | | |
| Chillers: Water-Cooled, Centrifugal | < 150 tons | \$20 | \$20 |
| | ≥ 150 tons and < 300 tons | | |
| | ≥ 300 tons to < 400 tons | | |
| | ≥ 400 tons to < 600 tons | | |
| | ≥ 600 tons | | |
| Chillers: Water Cooled Scroll, Helical-Rotary or Reciprocating | < 75 tons | \$20 | \$20 |
| | ≥ 75 tons and < 150 tons | | |
| | ≥ 150 tons and < 300 tons | | |
| | ≥ 300 tons and < 600 tons | | |
| | ≥ 600 tons | | |
| Chillers: Air-Cooled | < 150 tons | \$40 | \$20 |
| | ≥ 150 tons | | |
| Packaged Terminal AC | ALL | \$50 | \$0 |
| Packaged Terminal HP | ALL | \$100 | |
| Variable Refrigerant Flow Systems | < 65,000 Btu/h (< 5.4 tons) | \$40 | \$25 |
| | ≥ 65,000 Btu/h and < 135,000 Btu/h (5.4-11.25 tons) | | |
| | ≥ 135,000 Btu/h and < 240,000 Btu/h (11.25-20 tons) | | |
| | ≥ 240,000 Btu/h (≥ 20 tons) | | |
| Computer Room Air Conditioners | < 65,000 Btu/h (< 5.4 tons) | \$96 | \$0 |
| | ≥ 65,000 Btu/h to < 240,000 Btu/h (5.4-20 tons) | | |
| | ≥ 240,000 Btu/h (≥ 20 tons) | | |

| Lighting | |
|---|-------------------------|
| EQUIPMENT TYPE | INCENTIVE/UNIT |
| Screw-in/Pin-type LED replacing Incandescent | \$2/lamp |
| Screw-in/Pin-type LED replacing Compact Fluorescent | \$1/lamp |
| LED Exit Signs | \$10/sign |
| LED Open Signs | \$20/sign |
| Interior Occupancy Sensors | \$0.16/watts controlled |
| Daylighting Sensors | \$0.10/watts controlled |
| Exterior Lighting Controls (Hi-Low Wattage) | \$0.42/watts reduced |
| 24-Hour/Garage/3-Shift Lighting Controls (Hi-Low Wattage) | \$0.53/watts reduced |

| LED Lamps | Incentive/Watts Reduced | | | |
|--|-------------------------|------------------|----------|------------------------|
| EQUIPMENT TYPE | INTERIOR | INTERIOR 18 HOUR | EXTERIOR | 24-HOUR/GARAGE/3-SHIFT |
| LED Lamp Replacing HID/Linear Fluorescent/U Bend Fluorescent | \$0.21 | \$0.48 | \$0.27 | \$0.63 |
| LED Retrofit Kit Replacing HID/Linear Fluorescent/U Bend Fluorescent | \$0.32 | \$0.63 | \$0.37 | \$0.84 |
| LED Fixture Replacing HID/Linear Fluorescent/U Bend Fluorescent | \$0.42 | \$0.90 | \$0.53 | \$1.26 |

| Agriculture (Indoor Agriculture applications only) | |
|--|----------------------|
| EQUIPMENT TYPE | INCENTIVE/UNIT |
| Indoor Agriculture LED Grow Lights | \$0.60/watts reduced |
| Indoor Dehumidification Units | |
| ≤ 155 Pints/Day Capacity | \$2.50/capacity |
| > 155 Pints/Day Capacity | \$3.50/capacity |

| Guest Room Energy Management System | |
|-------------------------------------|--------------------|
| EQUIPMENT TYPE | INCENTIVE/TON/ROOM |
| Hotel Guest Room Occupancy Sensor | \$75 |

| VSD on Fans/Pumps (less than 200 HP) | |
|--------------------------------------|-------------------|
| VSD APPLICATION | INCENTIVE/UNIT/HP |
| Supply Fans | \$200 |
| Return Fans | \$175 |
| Cooling Water Pumps | \$200 |
| Hot Water Pumps | \$150 |
| WSHP Circulation Pumps | \$250 |
| Cooling Tower Fan | \$100 |

| Pool Pump (0.5 - 3 HP) | |
|-------------------------------|----------------|
| PUMP TYPE - ABOVE & IN-GROUND | INCENTIVE/UNIT |
| ENERGY STAR® Pump | \$100 |
| CEE Tier 1 Pump | \$100 |

| Compressed Air Storage Receiver Tanks | |
|---------------------------------------|-------------------|
| EQUIPMENT SIZE CATEGORY | INCENTIVE/UNIT/HP |
| ≤ 200 HP | \$40 |

| Efficient Compressed Air Nozzles | |
|--|----------------|
| Reciprocating type: - On/off Control - Load/Unload | |
| Screw type: - Load/Unload / Variable Displacement - Inlet Modulation - VFD | |
| EQUIPMENT TYPE | INCENTIVE/UNIT |
| 1/8" | \$42 |
| 1/4" | \$57 |
| 5/16" | \$87 |
| 1/2" | \$121 |

| VSD Air Compressors | |
|--|----------------|
| EQUIPMENT TYPE | INCENTIVE/UNIT |
| Modulating w/ Blowdown ≤ 50 hp | \$80 |
| Load/No Load w/ 1 Gallon/CFM ≤ 50 hp | |
| Load/No Load w/ 3 Gallon/CFM ≤ 50 hp | |
| Load/No Load w/ 5 Gallon/CFM ≤ 50 hp | |
| Modulating w/ Blowdown 51-200 hp | \$100 |
| Load/No Load w/ 1 Gallon/CFM 51-200 hp | |
| Load/No Load w/ 3 Gallon/CFM 51-200 hp | |
| Load/No Load w/ 5 Gallon/CFM 51-200 hp | |

| Efficient Desiccant Compressed Air Dryers | |
|--|------------------------|
| Reciprocating type: - On/off Control - Load/Unload | |
| Screw type: - Load/Unload / Variable Displacement - Inlet Modulation - VFD | |
| EQUIPMENT TYPE | INCENTIVE/UNIT PER CFM |
| Heated | \$3 |
| Blower Purge with Comp. Air Cooling | \$5 |
| Blower Purge "Zero Purge" | \$7 |

| Efficient Refrigerated Compressed Air Dryers | |
|--|-----|
| Thermal-Mass | \$1 |
| VSD | |
| Digital Scroll | |

| Desiccant Dryer Dew Point Demand Controls | |
|--|------------------------|
| Reciprocating type: - On/off Control - Load/Unload | |
| Screw type: - Load/Unload / Variable Displacement - Inlet Modulation - VFD | |
| EQUIPMENT TYPE | INCENTIVE/UNIT PER CFM |
| Heatless | \$6 |
| Externally-Heated | |
| Blower Purge | |

Earn rebates for installing energy-efficient equipment in your building.

| ENERGY STAR® Ovens & Fryers | |
|--------------------------------------|----------------|
| EQUIPMENT TYPE | INCENTIVE/UNIT |
| Combination Oven - Full Size | \$800 |
| Convection Oven - Half Size | \$100 |
| Convection Oven - Full Size < 5 pans | \$300 |
| Convection Oven - Full size ≥ 5 pans | \$350 |
| Commercial Vat Fryer - Standard | \$250 |
| Commercial Vat Fryer - Large | \$300 |

| ENERGY STAR® Steam Cookers | |
|----------------------------|----------------|
| EQUIPMENT TYPE | INCENTIVE/UNIT |
| Boiler Based - 3 Pan | \$1,200 |
| Boiler Based - 4 Pan | \$1,400 |
| Boiler Based - 5 Pan | \$1,600 |
| Boiler Based - ≥ 6 Pan | \$1,800 |
| Steam Generator - 3 Pan | \$800 |
| Steam Generator - 4 Pan | \$900 |
| Steam Generator - 5 Pan | \$1,000 |
| Steam Generator - ≥ 6 Pan | \$1,200 |

| ENERGY STAR® Hot Food Holding Cabinet | |
|---------------------------------------|----------------|
| EQUIPMENT TYPE | INCENTIVE/UNIT |
| Half size | \$125 |
| Three-quarter size | \$300 |
| Full-size | \$500 |

| ENERGY STAR® High Efficiency Ice Makers | |
|---|----------------|
| EQUIPMENT TYPE | INCENTIVE/UNIT |
| 150 lb/24 hours | \$100 |
| 250 lb/24 hours | \$125 |
| 350 lb/24 hours | \$150 |
| 450 lb/24 hours | \$150 |
| 750 lb/24 hours | \$200 |
| 1500 lb/24 hours | \$250 |

| Refrigeration | |
|---|------------------------|
| Night Covers for Displays | \$20/Linear Ft of Case |
| Anti-Sweat Heater Controls | \$40/Linear Ft of Case |
| LED Case Lighting | \$10/Linear Ft of Case |
| Zero Energy Doors - Refrigerator | \$130/Door |
| Zero Energy Doors - Freezer | \$260/Door |
| Automatic Door Closers | \$100/Door |
| EC Motor Reach-in Refrigerator Cases | \$70/Motor |
| EC Motor Reach-in Freezer Cases | \$80/Motor |
| EC Motor Walk-in Refrigerator Cases | \$120/Motor |
| EC Motor Walk-in Freezer Cases | \$130/Motor |
| EC Motor Evap Fan Controls (HP: 1/20, 1/5, 1/3, 1/2, 3/4) | \$100/Motor |
| Q-Sync Motors for Refrigerator/Freezer | |
| (9 - 12W) (Shaded-pole, EC) | \$50/Motor |
| (38 - 50W) (Shaded-pole, EC) | \$50/Motor |

| High Frequency Battery Chargers | |
|---|----------------|
| REQUIREMENT | INCENTIVE/UNIT |
| Minimum Power Conversion Efficiency of 90% | \$400 |
| Must have a minimum 8-hour shift operation, five days per week. | |

| Lithium Ion Forklift Batteries | |
|--|----------------|
| REQUIREMENT | INCENTIVE/UNIT |
| Class I, II, or III forklifts powered by a lithium ion battery | \$5,000 |
| Minimum 8-hour shift operation, five days per week. | |

| Window Film (pre-application required) | |
|--|---------------|
| REQUIREMENT | INCENTIVE/FT2 |
| 10% lower shading coefficient than pre-existing shading type | \$1.20 |

| Low-flow Showerheads (with Electric Water Heaters) | |
|--|----------------|
| FLOW (GPM) | INCENTIVE/UNIT |
| 1.5 | \$7 |
| 2 | \$5 |

| Low-flow Faucet Aerators (with Electric Water Heaters) | |
|--|----------------|
| FLOW (GPM) | INCENTIVE/UNIT |
| 0.5 | \$10 |
| 1 | \$8 |

